

LEADER IN 3D WALLS





Artpole company is a manufacturer of 3D gypsum panels - innovative product with unique consumer properties which allows to create an inimitative individual interior solutions.





- No chemical additives, no modifiers, no plasticizers = no allergy and harm to health
- Absolutely eco-friendly
- Control of microclimate and moisture balance in the room
- Absolute incombustibility (can be used in public places and areas of fire evacuation)





Artpole 3D gypsum panels types

Double boards

Mono boards



The pattern consists of mono boards. It's the simplest way of pattern selection. The pattern consists of double boards. Due to the twice bigger pattern the repetition frequency is decreased twice. The installation looks much better in a large room. Panel picture



The panel picture consists of several boards. It can be used as an individual element of the interior.



Innovations in Design of 3D Gypsum Panels



Artpole LED 3D gypsum panels. The light comes out of the monolithic wall. Artpole 3D gypsum panels with Swarovski crystals

Atrpole 3D gypsum panels with unique 3D glass



Unique Advantages of Artpole 3D Gypsum Panels





Our clients:

At present the following products promotion channels are used in the Company:

Dealer network. The Company's dealer network extends throughout the whole Russia and includes above 450 salons and retail outlets and 7 warehouses with products upon basis of the largest distributors.

Tender supplies to construction sites. Artpole panels are supplied to sites and facilities of the largest construction companies such as "Renaissance Construction", "PROCONS", GC "Tashir" etc.

www.textures3dpanels.com Official distributor of Artpole in the USA -

- www.3dwallpanels.co.uk Official distributor of Artpole in England
 - www.creativewall.it
 - www.dekoplast.eu
- Official distributor of Artpole in Iran -
- Official distributor of Artpole in Finland -

Official distributor of Artpole in Italy -

Official distributor of Artpole in Latvia -

- www.tn-g.ir
- www.mgtre.fi

We're looking for new partners and we'll be glad to start our cooperation with you!













COTTON 600×600мм SULTAN art. M-0041 art. M-0036





VERSALE









600×600мм

600×600мм SAHARA

MATRIX

art. M-0005

ZOOM 600×600мм ZAFIRA art. M-0007

art. M-0020

600×600 мм

600×600мм CAPSUL 600×600мм

art. M-0002

ZOOM X4 600×600 MM art. M-0009

art. M-0033

RUFFLE

600×600 мм

HOOP

art. M-0022



art. M-0018















FALLOUT 600×600 MM













VALENCIA-LED

VALENCIA 600×600mm

600×600мм

SILK 1+2



art. D-0002-1/D-0002-2 art. D-0002-3/D-0002-3WH

SANDY 1+2 600×600мм SANDY-LED 600×600мм



HILLS art. M-0032



Our collection includes above 40 unique reliefs of panels and panel pictures. They are made in different styles and can be used both in private and public interiors. Design of every panel has been patented. Full collection and description are available at website www.artpole.com



600×600мм



600×600mm BEE

AURA

art. M-0011



BREEZE 1+2 600×600MM VELVET 600×600мм SOUL

art. D-0005-1 / D-0005-2 art.M-0023 art. M-0019

BLADE

600×600 мм SOUND 600×600 мм art. M-0003

FOG 1+2

ROMB

art. M-0008

600×600 мм **PLANT**

art. M-0031

ROSE

art. M-0021

PARALINES 600×600 MM

600×600 мм

art. M-0030









ROSE-5th 600×600 мм



Technical specifications and composition of panels:

Composition: alpha-gypsum (GVVS-16), water, fiber optics. 100% eco-friendly product consisting of high-strength gypsum binder, water and reinforcing fiber. It does not contain modifiers, plasticizers, accelerating agents, antifoaming agents and other hazardous chemical additives. All raw materials are certified. Finished product (gypsum panels Artpole) have certificates of conformity CV, fire safety with test report, expert finding of SanEpid.

Technical characteristics of samples:

Technical characteristics of samples:

Name of index	Actual indices under CV 09078207 - 001 – 2012	Name of index	Actual indices under CV 09078207 - 001 – 2012
Deviation from perpendicularity of adjacent panels, mm, max	2	Effective deviations of geometrical parameters of panels by width, length and thickness (mm), max	······ 1mm
Deviation from horizontality of face surface of plates,mm, max	0.5	Size of panel	600x600mm (0.36 sq.m./pc.)
Chipping of corners and ribs	It is not permitted.	Height of relief	from 15 to 85mm depending on design
Ultimate strength of test beams (MPa) in compression	5.0	Weight of panel	6kg (in average, depending on design)
Ultimate strength of test beams (MPa) in bending	2.4	Weight of 2-layer pallet (34 panels, 12.24 sq.m.)	~230 kg (without furring)
Admissible humidity of gypsum plates by mass, %, max		Weight of 3-layer pallet B (51 panels, 18.36 sq.m.)	



Mounting technology:

Panels are mounted on gypsum filler mass (PUFAS,PERLFIX) or gypsum glue.



3 Seams are filled with the same filler mass or glue. Final levelling of seams is carried out with application of final filler SHEETROCK or ROTBAND PASTA KNAUF.



2 Panels are pressed against the wall with self-tapping screws.



4 Any interior paint can be applied on panels.



Detailed video instruction is available on our channel: https://www.youtube.com



Delivery conditions:

"Ex Works" - bld. 20, Partizanskaya Str., Rzhev, Tver region 172381 Russian Federation. Panels are delivered on europallets 1200x800mm, vertically 18 panels on each layer, in 2 or 3 layers.

In 3 layers in dispatch in standard 40-feet container - 30 pallets (583 sq.m.)



In 2 layers in dispatch by truck -32 pallets (414 sq.m)



Price of panels: 23 Euro per 1 sq.m. "EXW"



Every distributor is provided with methods for development of successful business with Artpole products, including the following materials:

- 1. KFS (key success factors) of dealer.
- 2. Algorithm of dealers' attraction.
- 3. Recommendations for construction and development of dealers' network.
- 4. Recommendations on bonus program for designers.
- 5. CP for dealers and designers.
- 6. Program for overcoming dealers' objections.
- 7. Basic principles of merchandising (business box, exhibitions at the dealers'). Recommendations on exhibition and arrangement of gypsum panels.
- 8. Visualization of interior solutions using 3D gypsum panels Artpole.
- 9. Recommendations in work with objects, architectural offices, participation in tenders.
- 10. Template of table for studying competitors. Recommendations on monitoring market in this segment.
- 11. Catalogues, brochures in electronic format.
- 12. Training material for the product for dealer's managers.

- 13. Recommendations in attestation of distributor's employees.
- 14. Recommendations in attestation of dealer's employees.
- 15. 10 unique advantages of gypsum panels.
- 16. Places of application of gypsum panels.
- 17. Rules of storage, transportation and mounting of gypsum panels.
- 18. Video about mounting. Slide show of interiors.
- 19. Instruction on mounting.
- 20. Recommendations of use of gypsum panels for finishing fireplaces and swimming pools.
- 21. Recommended promotion techniques of the product in off-line mode.
- 22. Content packet (extended).
- 23. SEO-promotion.
- 24. Contextual advertisement.
- 25. Recommendations in promotion in social networks.
- 26. What must be avoided to be done, frequent errors of distributors in construction business in the field of 3D gypsum walls Artpole.









Application in interior

23€ per m² EXW



MATRIX

Application in interior





ARISTOCRATE

Application in interior







Application in interior





Thank you for your attention!

If you have any questions about Artpole company and its 3D gypsum panels, we'll be glad to assist you!

Please contact us LLC "Trade House Artpole" BC "Hunt-Holding", bld.1, 1, Nagatinskaya Str., 117105, Moscow Tel: +7(495)665-73-43 Cell: +7(905)554-47-15 Skype: export@artpole.ru E-mail: o.minaeva@artpole.ru

www.artpole.com